MAR 2 6 2002 UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

: Jerry Kellgren

Serial No.

: 10/074,488

Filed on

: 02/12/2002

For

: METHOD AND APPARATUS FOR OXYGENATING GROUND WATER

Examiner:

Group: 1723

RESPONSE

Hon. Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

If any additional charges or fees must be paid in connection with this communication, they may be paid out of our deposit account No. 50-0783.

The enclosed abstract is submitted to comply with the Notice of File Corrected Application Papers, a copy of the Notice being submitted herewith.

Respectfully submitted,

Jober & Malsh

Robert L. Marsh Reg. No. 25,894

Phone (630) 681-7500

(630) 681-3464

Robert L. Marsh 54 Danada Dr. P.O. Box 4468 Wheaton, IL 60189-4468



23

3

Page 1 of 1

United States Patent and Trademark Office

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 2023I
www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/074,488

Wheaton, IL 60189-4468

Robert L. Marsh P.O. Box 4468 02/12/2002

Jerry Kellgren

CONFIRMATION NO. 7328

FORMALITIES LETTER

: STATUTU (1841 JAK 1841) 1841) 1841) 1841) 1841) 1841) 1841) 1841) 1841) 1841) 1841) 1841) 1841) 1841) 1841)

OC000000007620301*

Date Mailed: 03/12/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

 An abstract was not provided for this application. An abstract of the technical disclosure is required under 37 CFR 1.72(b).

A copy of this notice <u>MUST</u> be returned with the reply.

Margarlif Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE